

## UNIVERSAL CEILING BRACKET, 2 MONITORS, ADJUSTABLE

SKU: 06940



<b>Net weight</b>	34,9 Kg
<b>Min/Max height</b>	750-1250 mm
<b>Closed Length</b>	860x286x1030mm
<b>MAX LOAD</b>	90 Kg
<b>Mount Rotates</b>	360°
<b>Tilt angle</b>	+20°/-10°
<b>DIAGONAL OF THE MONITOR</b>	46" – 75"
<b>Material</b>	Fe (structure)
<b>Treatments</b>	Black

---

**Categories:** [Flat Panel Ceiling Mounts](#), [Flat Panel Mounts](#)

Universal ceiling mount bracket, adjustable and tiltable, steel made, for two monitors. The bracket consists of 3 parts: fixing system on the ceiling, controlled inclination system (Tilting System) and two "Universal" frames. To fix on the ceiling there are four holes Ø11mm in the flange on top of the tube. In the bottom of the tube there are two Tilting Systems. This kind of system allows to rotating a +20° or -10° angle of inclination, using an exagonal key in the equipment. The two monitors are independent each by other. It is also possible to rotate the system around the vertical axis for 360°. The universal frames (850x590mm) are compatible with all monitor from 42 to 55". In fact they are compatible with holes on wheelbases from 284 to 700 in horizontal and from 80 to 475 in vertical. The telescopic arm grants to regulate the central part of the monitor at the height from 75 to 125cm. It's possible to adjust the height of the monitor with 10 cm steps. It is necessary for work in safely conditions to use two M6 screws on the base of each frame. The tubes are drilled to make the cable's passage is possible inside the bracket. In order to facilitate installation an instruction sheet will be inserted into the packaging. Time to assemble the stand: 5 minutes.

[QUOTATION REQUEST](#)

×

## REQUEST A QUOTATION

Name \*

Surname \*

Company \*

Email \*

Message

☐ I have read and accept the Privacy Policy (\*)

[Read our Privacy Policy](#)

Send

×

## GALLERY

