


## UNIKA delta TITAN 47K



## UNIKA delta TITAN 47K

**SKU:** 25257

Compatible with the videoprojector series and similar.

It is an aluminium tubular profile frame (cross-section 40×40) with iron reinforcement bars, thus combining sturdiness and ease of use. This is why it can be used for any PROJECTION type (Landscape, Portrait, Floor) and can adapt to any INSTALLATION method (truss, ceiling, wall and floor).

It is equipped with its own STACKING system:

A) For floor installation, it is type-tested for 3 cages;

B) For hanging installation, up to 2 cages.

The MICROMETRIC adjustment system on 3 rotation axes is based on the knob system, fastened to the structure (which can be easily removed without any tools, so that it can be used also without cage):

C) +/- 3° pitching;

D) +/- 3° roll;

E) +/- 5° yaw.

### Specifiche

|                                                    |                             |
|----------------------------------------------------|-----------------------------|
| Material                                           | Iron - Aluminum             |
| Profile section                                    | 40 mm                       |
| Pitch                                              | +/- 3°                      |
| Roll                                               | +/- 3°                      |
| Yaw                                                | +/- 5°                      |
| Cage dimensions Width_Lung_H (H with turned parts) | 830 x 1080 _ 567 (667) [mm] |
| packaging                                          | 850 x 1115 _ h680 [mm]      |

## Galleria Immagini

