Projector Micrometric Calibrated Bracket System

EUROMET Srl - P.Iva IT00852140425 - Z. I. Brodolini, 40B - 60025 - Loreto (AN) - Tel. +39.071976444 - Fax +39.071978988 - Vendite: sales@euromet.com - Ufficio Tecnico: tech@euromet.com - Amm. : amministrazione@euromet.com

Projector Micrometric Calibrated Bracket System

P/N: 27600

Micrometric adjustment system for projectors, designed to provide **three-axis movement** with maximum precision and stability.
The **STARK** system is simple and intuitive to use, while also being extremely lightweight. It is particularly suitable for projectors weighing up to **20 kg**.
The structure also features a **slim profile**, significantly reducing the overall footprint of the system while maintaining excellent precision and stability.

Specifiche

Material	Iron - Aluminum
pipe section	30x20 mm
Color	Black
Treatments	Powder coating
attachment thread	M8
electrical insulation projector	YES
Dimension	595 x 690_h436 [mm]
packaging	605 x 700 x_h446 (mm)

EUROMET Srl - P.Iva IT00852140425 - Z. I. Brodolini, 40B - 60025 - Loreto (AN) - Tel. +39.071976444 - Fax +39.071978988 - Vendite: sales@euromet.com - Ufficio Tecnico: tech@euromet.com - Amm. : amministrazione@euromet.com

Galleria Immagini



EUROMET Srl - P.Iva IT00852140425 - Z. I. Brodolini, 40B - 60025 - Loreto (AN) - Tel. +39.071976444 - Fax +39.071978988 - Vendite: sales@euromet.com - Ufficio Tecnico: tech@euromet.com - Amm. : amministrazione@euromet.com