

Arakno Omnia - Plus



Arakno Omnia - Plus

P/N: 29862

Projector mount with patented tilt mechanism: engineered for maximum targeting and alignment precision.

Brass adjustment screws: designed for geometric tolerance compensation and mounting-hole center-distance alignment.

Center of gravity optimization and dual-axis displacement: features a smooth, guided linear translation for depth adjustment (fore/aft), combined with a micrometrically calibrated lateral translation (left/right) operated via a ratchet wrench, ensuring flawless load centering.

3-axis micrometric adjustment: high-precision millimeter calibration for pitch, roll, and yaw movements.

Extension arms for maximum compatibility: designed to interface seamlessly with the vast majority of professional projectors on the market.

Universal mounting interface: natively pre-engineered for seamless integration with structural extensions and wall-mount arms from the Arakno line.

Micrometric calibration knobs: for manual millimeter-level alignment and mechanical backlash elimination.

Hex key (Allen wrench) engagement port: heavy-duty tightening and assisted adjustment point to ensure smooth, secure calibration even under high payloads.

Ceiling mounting plate: engineered to provide maximum structural stability, even in heavily offset or misaligned configurations.

Truss double clamps omega provided as optional .

Specifiche

Typology	Ceiling Mounts, Truss Mounts
Max Load	45 kg
Max dimension	192x192x180 mm
Tilt angle	up to 30°
Swivel	360°
Ship weight box 1	7 kg
Fixing screws	M6 M3 M4 M5

