

K-TILT Stacking frame adapter for trellises



K-TILT Stacking frame adapter for trellises

SKU: 17728

This item can be used for truss installations and enables controlled micro-adjustment on three rotation axes, tilting the plate vertically (pitching and rolling) by 10°, whereas the rotation (yaw) is 360°.

All three adjusting options are very precise (and can be checked with threaded pins) and the system is equipped with safety locks to fasten the desired position.

Thanks to its complete rotation and the wide tilt angles, it enables pre-emptive orientation when used together with the cage - also for complex installations with unpractical fastening positions or in case of special tilted projections. After fastening the truss system is then possible to calibrate the wall-projector more precisely.

It is fitted with a standard EUROMET coupling and can therefore be fitted directly to the cage coupling or, via some optional extras, to the bars of some cages:

- For KALIBRO: by adding 20910 (landscape) or 20911 (portrait or floor).
- For UNIKA: by adding 22117 (landscape) or 22118 (portrait or floor).

The Clamps used (compatible with the main Ø50 mm truss versions) have a 250kg capacity each, with quick coupling and facilitated fastening - fastening distance from 160 to 360 mm.

Compatibility: all EUROMET products with standard connection

Certification IMQ: EN 62368-1:2014+A11:2017 clause 8.7

Specifiche

installation	Truss-mounted cage
Mode	Floor, Landscape, Portait
Material	Steel, Brass, Alumimum
Treatments	Powder coated
Color	Black, Silver
Pitch	+/-10°
Roll	+/-10°
Yaw	360°
clamp fixing to truss	Ø 48 - 51 mm

SWL (SAFE WORKLOAD)	250 Kg (each Clamp)
Dimension	340 x 220 x 365 mm
packaging	360 x 240 x 390 mm

Galleria Immagini



TEST CERTIFICATE
CERTIFICATO DI PROVA

REGISTRATION No. 1295
NUMERO DI REGISTRAZIONE:

PRODUCT: System of rigging cages for mounting of video projectors
PRODOTTO:

MODEL(S): L1000, P21K, L25K
MODELLO(S):

TRADE MARK: EUROMET
MARCA COMMERCIALE:

APPLICANT: EUROMET SRL
RICHIEDENTE: Z.I. BRODOLINI 40B - 60025 LORETO (AN)

MANUFACTURER: EUROMET SRL
CONSTRUTTORE: Z.I. BRODOLINI 40B - 60025 LORETO (AN)

TEST RESULTS / RISULTATO DELLE PROVE
A sample of above product was found to be in compliance with the Technical specification(s) / standard(s) listed below. / Un campione del prodotto specificato è stato provato ed è risultato conforme alle norme / specifiche tecniche qui sotto indicate.

TEST DETAILS / DETTAGLI DELLE PROVE

TEST REPORT:	DATE:	TECHNICAL SPECIFICATIONS / STANDARDS:
RAPPORTO DI PROVA:	DATA:	SPECIFICHE TECNICHE / NORME DI RIFERIMENTO:
AE18-0020837-01	2018/02/22	IEC 60065:2014 - Clause 19.7 IEC 60950-1:2005+AMD1:2009+AMD2:2013 - Clause 4.2.10 IEC 62368-1:2014 - Clause 8.7

PRIMA EMISSIONE: 2018/04/17
FIRST ISSUE

EMISSIONE CORRENTE: 2018/04/17
CURRENT ISSUE

Giuseppe Deluca
IMQ

This Test Certificate is the result of testing a sample of the product submitted, in accordance with the provisions of the specified Technical Specification / Standard. It is issued according to product certification system (a) of ISO/IEC 17065, therefore, it does not imply any judgement on the production and it does not permit the use of a mark of conformity. Only full reproduction of this Certificate are allowed without written permission of IMQ. Il presente Certificato di Prova è risultato dalla prova effettuata su campioni di prodotto presentati, secondo le prescrizioni delle corrispondenti norme / specifiche tecniche citate. Esso è emesso in conformità al sistema di certificazione di prodotto (a) della norma ISO/IEC 17065 pertanto, esso non implica un giudizio sulla produzione e non permette l'uso di un marchio di conformità. Solo la completa riproduzione di questo Certificato è permesso senza permesso scritto dall'IMQ.

IMQ S.p.A. con Socio Unico | Via Quirilliano 43 | Italia - 20136 Milano | www.imq.it

