

## K-TILT STACKING FRAME ADAPTER FOR TRELLISES

**SKU:** 17728



**installation** Truss-mounted cage

**Mode** Floor, Landscape, Portait

Material Steel, Brass, Alumimum

**Treatments** Powder coated

**Color** Silver, Black

Pitch  $+/10^{\circ}$ 

**Roll** +/10°

**Yaw** 360°

clamp fixing to

truss

Ø 48 - 51 mm

SWL (SAFE

WORKLOAD)

250 Kg (each Clamp)

**Dimension** 340 x 220 x 365 mm

**packaging** 360 x 240 x 390 mm

**Categories:** Kalibro

This item can be used for truss installations and enables controlled micro-adjustment on three rotation axes, tilting the plate vertically (pitching and rolling) by 10°, whereas the rotation (yaw) is 360°.

All three adjusting options are very precise (and can be checked with threaded pins) and the system is equipped with safety locks to fasten the desired position.

Thanks to its complete rotation and the wide tilt angles, it enables pre-emptive orientation when used together with the cage - also for complex installations with unpractical fastening positions or in case of special tilted projections. After fastening the truss system is then possible to calibrate the wall-projector more precisely.

It is fitted with a standard EUROMET coupling and can therefore be fitted directly to the cage coupling or, via some



optional extras, to the bars of some cages:

- For KALIBRO: by adding 20910 (landscape) or 20911 (portrait or floor).
- For UNIKA: by adding 22117 (landscape) or 22118 (portrait or floor).

The Clamps used (compatible with the main Ø50 mm truss versions) have a 250kg capacity each, with quick coupling and facilitated fastening - fastening distance from 160 to 360 mm.

Compatibility: all EUROMET products with standard connection

Certification IMQ: EN 62368-1:2014+A11:2017 clause 8.7

## **QUOTATION REQUEST**

×

## **REQUEST A QUOTATION**

| Name *  |
|---|
|   |
| Surname *   |
|   |
| Company *   |
|   |
| Email *   |
|   |
| Message   |
| □ I have read the information on the Privacy Policy and authorize the processing of personal data (*)<br>Privacy Policy |
| Send  |



×



## **GALLERY**



