

KITE COMPACT

SKU: 21400



| | |
|----------------------------|---|
| installation | Ground, Support system to the ceiling, Support system to the wall, Truss-mounted cage, Wall |
| Mode | Floor, Landscape, Portrait |
| Material | Iron – Aluminum |
| Treatments | Powder coated |
| Color | Silver, Black |
| Pitch | +/- 3° |
| Roll | +/- 3° |
| Yaw | +/- 4° |
| clamp fixing screw | M10 |
| standard attachment | YES |
| Dimension | 200 x 180 _ 380 [mm] |
| packaging | |

Categories: [Matrix](#)

It is a micrometric adjustment system:

- +/- 3°: roll
- +/- 3°: pitch
- +/- 4°: yaw

Adjustment is carried out by turning 3 brass pins and a handy ratchet.

It is fitted with standard EUROMET brackets both above and below so that it can be fitted in series with other options fitted with standard brackets.

The MATRIX (both ALFA and BETA) or the entire EPSON EB and PU series of projectors (same compatibility as the

20900 cage) can be mounted on the top plate.

On the bottom plate, in addition to the standard connection, the system is ready to fasten a pair of clamps (not supplied with the case, order code 20977).

KITE is equipped with practical rubber feet for possible ground support and a system to determine the zero position and any subsequent adjustments.

Compatibility: *all EUROMET products with standard connection*

Certification IMQ: EN 62368-1:2014+A11:2017 clause 8.7

[REQUEST A QUOTE](#)

×

REQUEST A QUOTE

Nome *

Cognome *

Azienda *

Email *

Messaggio *

☐ Ho letto l'informativa sulla Privacy Policy e autorizzo il trattamento dei dati personali (*)

[Leggi la nostra Privacy Policy](#)

Invia

GALLERY

