

## MATRIX BETA - FRAME FOR EPSON VIDEO PROJECTORS

SKU: 22500



|  |                        |
|--|------------------------|
| <b>Material</b>                        | Iron                   |
| <b>pipe section</b>                    | 30×20 mm               |
| <b>Color</b>                           | Black                  |
| <b>Treatments</b>                      | Embossed powder coated |
| <b>attachment thread</b>               | M8                     |
| <b>electrical insulation projector</b> | YES                    |
| <b>packaging</b>                       | 560 x 685 _ h300 [mm]  |

---

Categories: [Matrix](#)

It is a fully welded structure that is made up of iron pipes and sheets. This frame is ideal for:

- The protection of the projector: the tubes protect it in all directions from possible impacts
- The manageability of the structure: given by its ability to be easily grasped, moved and placed on the ground (even laterally)
- The PROJECTION and INSTALLATION in the main required configurations.
- Equipped with a VERTICAL, HORIZONTAL, AUTOSTACKING STACKING system.

*\*Compatibility with projectors: EPSON: EB-PU2100, EB-PU2200, EB-L1xxxU, EB-L10xxU*

### TYPES OF PROJECTION (through special accessories):

Landscape, Portrait, Floor.

### VERTICAL STACKING:

Possibility of stacking 2 or 3 cages on top of each other:

*For ground installations approved for up to 3 cages*

*For ceiling installations up to 2 cages.*

## **TYPES OF INSTALLATION (using special accessories):**

Ceiling, wall, floor.

## **HORIZONTAL STACKING:**

it is possible to approach and fix more than one MATRIX together, so as to have a series of projectors arranged horizontally and perfectly parallel.

These 2 stackings combined together give the possibility to create “arrays” of projectors fixed together.

## **Autostacking**

A single cage allows the fixing of 2 projectors one above the other.

The MATRIX allows you to choose the most appropriate level of micro-adjustment for the specific installation thanks to its innovative modular system that allows you to use a wide range of accessories and customizations together.

The main options compatible with the MATRIX and their functions are:

- 22628 - ATTACK on American portrait
- 21400 - KITE: Microregulation of the MATRIX;
- 21800 - SHARK: Support inclination up to 45 ° (with 5 ° steps);
- 22100 - ROTATION: 360 ° rotation;
- 21500 - ARM: Installation: wall, ceiling or American. Projection: landscape, floor portrait
- 20760 - CEILING: Ceiling installation for landscape projection;
- 22740 - RAIL: Side or front / back scrolling with micro adjustment (useful for focusing);
- 22627 - ATTACK on americana landscape or floor
- TELESCOPIC BARS: Ceiling attachment with extensions of various sizes;

**IMQ certification::** EN 62368-1:2014+A11:2017 clause 8.7

**Compatibility:** Even with third-party cages

## [QUOTATION REQUEST](#)

x

## **REQUEST A QUOTATION**

Name \*

Surname \*

Company \*

Email \*

Message

☐ I have read the information on the Privacy Policy and authorize the processing of personal data (\*)

[Privacy Policy](#)

Send

x

## GALLERY

