

K-EXTENSION: TELESCOPIC POLE WITH RODS 150-250 CM (NO CLAMPS)

SKU: 22184



installation	A traliccio (clamp non incluse), Support system to the ceiling
Mode	Landscape
Material	Aluminum – Iron
Treatments	Powder coated
Color	Black
buttonhole adjustment range	From 220 to 320 mm
clamp fixing screw	M12
standard attachment	YES
Dimension	270 x 270 _ 1500 (close) – 2500 (open) [mm]
packaging	290 x 290 _ h1520 [mm]

Categories: [Kalibro](#)

It is a telescopic pole with fixed extension distances and length between 150 and 250 cm.

It can be either fastened to a truss with 2 Clamps (not included) or to the ceiling.

After fastening the telescopic pole to the truss or ceiling, it necessary to fix the plate with standard Euromet fastening to the cage, which is then attached to the pole with practical safety pin system.

Once this has been done, it is possible to turn the cage freely (by 360°) to reach the desired angle and fasten it with two grub screws.

Compatibility: all EUROMET products with standard connection

Certification IMQ: EN 62368-1:2014+A11:2017 clause 8.7

[RICHIEDI UN'OFFERTA](#)

×

RICHIEDI UN'OFFERTA

Nome *

Cognome *

Azienda *

Email *

Messaggio *

☐ Ho letto l'informativa sulla Privacy Policy e autorizzo il trattamento dei dati personali (*)

[Leggi la nostra Privacy Policy](#)

Invia

×

GALLERY

