


UNIKA 30.04 - BARCO FL40-4K MKII

SKU: 23603



Material Iron – Aluminum

Profile section 30 mm

Pitch +/- 3°

Roll +/- 3°

Yaw +/- 4°

Cage

dimensions

Width_Lung_H 580 x 535 _ h430 (H515) mm

(H with turned

parts)

packaging 640 x 700 _ H535 mm

Categories: Unika

Compatible with the videoprojector series Barco FL40-4K-MKII and similar.

It is an aluminium tubular profile frame (cross-section 30x30) with iron reinforcement bars, thus combining sturdiness, lightweight and ease of use. This is why it can be used for any PROJECTION type (Landscape, Portrait, Floor) and can adapt to any INSTALLATION method (truss, ceiling, wall and floor).

It is equipped with its own STACKING system:

- A) For floor installation, it is type-tested for 3 cages:
- B) For hanging installation, up to 2 cages.

The MICROMETRIC adjustment system on 3 rotation axes is based on the KITE system fastened to the structure (which can be easily removed without any tools, so that it can be used also without cage):

C) +/- 3° pitching;



יח	۱ т	/	Z٥	ra	П	١.
$\boldsymbol{\nu}$) Т	/-	3°	10	LI	L.

E) +/- 4° yaw.

Together with the cage, you can order the FLIGHT-CASE (Cod:22814) to host the cage itself and is also equipped with an additional compartment 15x50x48cm which can also be divided by ordering a partition wall (Cod: 22827), up to maximum 2 partition walls.

Certification IMQ: EN 62368-1:2014+A11:2017 clause 8.7

DEOL	IFCT	A 01	IOTE
$\nu = \iota \iota$	1 - < 1	A 1 11	11 N I E
101 070	JEST	Αιл	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

×

REQUEST A QUOTE

Nome *	
Cognome *	
Azienda *	
Email *	
Messaggio *	
☐Ho letto l'informativa si Leggi la nostra Privacy Po	ulla Privacy Policy e autorizzo il trattamento dei dati personali (*)
Invia	

Page: 2





GALLERY



