

UNIVERSAL CEILING BRACKET, 2 MONITORS, ADJUSTABLE

SKU: 06940



Net weight 34,9 Kg

Min/Max height 750-1250 mm

Closed Length 860x286x1030mm

MAX LOAD 90 Kg

DIAGONAL OF

THE MONITOR From 42" to 55"

Mount Rotates 360°

Tilt angle $+20^{\circ}/-10^{\circ}$

Material Fe (structure)

Treatments Black

Categories: Flat Panel Ceiling Mounts, Flat Panel Mounts

Universal ceiling mount bracket, adjustable and tiltable, steel made, for two monitors. The bracket consists of 3 parts: fixing system on the ceiling, controlled inclination system (Tilting System) and two "Universal" frames. To fix on the ceiling there are four holes Ø11mm in the flange on top of the tube. In the bottom of the tube there are two Tilting Systems. This kind of system allows to rotating a

+20° or -10° angle of inclination, using an exagonal key in the equipment. The two monitors are indipendent each by other. It is also possible to rotate the system around the vertical axis for 360°. The universal frames (850x590mm) are compatible with all monitor from 42 to 55". In fact they are compatible with holes on wheelbases from 284 to 700 in horizontal and from 80 to 475 in vertical. The telescopic arm grants to regulate the central part of the monitor at the height from 75 to 125cm. It's possible to adjust the height of the monitor with 10 cm steps. It is necessary for work in safetely conditions to use two M6 screws on the base of each frame. The tubes are drilled to make the cable's passage is possible inside the bracket. In order to facilitate installation an instruction sheet will be inserted into the packaging. Time to assemble the stand: 5 minutes.

QUOTATION REQUEST



×

REQUEST A QUOTATION

Name *	
Surname *	
Company *	
Email *	
Message	
□I have read the informat Privacy Policy	tion on the Privacy Policy and authorize the processing of personal data (*)
Send	



GALLERY



