

**ARAKNO MINI - SUPPORTO PER VIDEOPROIETTORI FINO A 20KG, NERO**

**CODICE:** 09504



<b>Tipologia</b>	Da Soffitto
<b>CARICO MASSIMO</b>	20 kg
<b>Dimensioni max</b>	192x192x148 mm
<b>Angolo di inclinazione</b>	fino a 30°
<b>Swivel</b>	360°
<b>Peso spedizione</b>	2,6 kg
<b>Fixing screws</b>	M2.5 M3 M4 M5

**Categorie:** [Arakno](#), [Supporti Videoproiettori](#)



Colore: Nero

- Più piccolo e leggero utile per carichi leggeri e precisione di posizionamento
- Soluzione per pesi fino a 20 kg riducendo la distanza proiettoresoffitto
- Sistema di inclinazione con meccanismo brevettato

Disponibile anche nelle varianti di colore:

- [Bianco \(Cod: 09505\)](#)

- [Grigio \(Cod: 09503\)](#)

[RICHIEDI UN'OFFERTA](#)

x

**RICHIEDI UN'OFFERTA**

Nome \*

Cognome \*

Azienda \*

Email \*

Messaggio \*

Ho letto l'informativa sulla Privacy Policy e autorizzo il trattamento dei dati personali (\*)

[Leggi la nostra Privacy Policy](#)

Invia

x

**GALLERY**



**Intertek** **VERIFICATION**  
of conformity with European Directives

Job No. 4125

Type of equipment: Wall mounted LCD support

Applicant / importer: Euromet S.r.l.  
Zona Industriale Brodolini  
60025 Loreto (AN) - Italy

Manufacturer / importer: (same as applicant)

Type designation: Aralno

Ratings: Aralno: Max load supported 45 Kg

Standard(s)	Test report(s)	Issued by	Checked
EN 60065: 2002 Cl. 19.6	1090001LUC-003	Intertek Italia s.r.l.	January 16, 2008

The referred test report(s) show that the product complies with standard(s) recognized as giving presumption of compliance with the essential requirements in the specified EU Directive(s). After preparation of the necessary technical documentation as well as the conformity declaration the CE marking can be affixed on the equipment. Other relevant Directives have to be observed.

Campofornido, January 16, 2009  
  
**Arianna Fogar**  
 Operations Manager

**INTERTEK ITALIA S.R.L.**  
 via Principe di Udine, 114 - Campofornido (UD), Italy  
 Tel: +39 0432 653411. Fax: +39 0432 653499 - www.intertek-etsenko.com

